



Event-Native Platforms for Standardizing Processes and Proving Compliance

Bhasker Katta

Independent Researcher

kattaabhasker@gmail.com

Abstract

Enterprise systems generate events every millisecond, yet most finance processes fail to keep pace. Rather than fully leveraging existing IT infrastructure, financial operations still rely heavily on batch processing. This creates a lag in internal resource allocation and limits the enterprise's ability to act proactively. By contrast, other parts of the enterprise continuously monitor capability-based controls and risk acceptance criteria, triggering corrective actions automatically. Core financial workflows — accounting, treasury, risk reporting, and regulatory compliance controls — are rich with event-driven patterns that demand immediate attention. This paper proposes an architecture that brings the financial infrastructure in line with the rest of the enterprise, making these real-time capabilities readily accessible within commercial financial systems.

Intelligent Event-Driven Platforms (IEPs) provide the foundation for such environments. Here, "intelligent" describes not the platform itself but the data-driven decisioning enabled by the Event-Data-Response Model™, with real-time processing as a core design requirement. The paper first examines event-driven architecture to establish its fit for enterprise-scale demands and to identify the distinctive characteristics of publish-subscribe patterns in this context. It then details enterprise-financial business processes, addressing the event types involved, the relevant objects of concern, data-source synchronization, and the roles of owners and approving authorities in supporting compliance. Finally, the IEP framework is extended to specify requirements for unified enterprise event streams and topics, along with event-schema management.

Keywords: Intelligent event-driven platforms; enterprise finance; compliance; risk management; business process harmonization; operational data; event stream architecture; event-centric analytics; event-driven architecture; auditability; control points; process mapping; data-binding;

data-sharing; data-classification; metadata-management; role-based-access-control; workflow-operations-control.

1. Introduction

The pressures on finance functions from regulatory compliance and enterprise risk management are escalating. Financial processes tend to be siloed within divisions or areas of responsibility, leading to difficulties in providing assurance of compliance or management of financial risk, and these difficulties are compounded by increasing scrutiny of data lineage, auditability, and accountability. Intelligent event-driven platforms address these challenges by enabling real-time, data-driven decisioning based on proper event streams, one of the fundamental building blocks of responsive application infrastructures, yet their application to enterprise finance has previously not been explored.




Fig 1: Processing Efficiency



Enterprise financial processes are the workflows managed by corporate finance functions within organizations and include treasury, accounting, risk reporting, financial reporting, and controls designed to ensure compliance with enterprise governance frameworks. Core elements of these processes are mapped to event-driven architecture patterns, and the resultant subjects, objects, relationships, provenance, and synchronization requirements are expressed. Compliance effectiveness metrics are framed, and a blueprint for an event-driven enterprise financial platform is established. By enabling synchronized events across disparate systems, reducing management reliance on human oversight, and providing proper coverage for enterprise governance frameworks, these platforms support the dual objectives of harmonization of financial processes and assurance of compliance with financial controls.




Fig 2: Event Processing Latency

A. Compliance and Risk Management Requirements

The compliance and risk management requirements for the design of an intelligent event-driven platform address the end results that regulators, and, by extension, enterprise management aim to achieve. The goal is therefore not only to use compliance and risk management

requirements to develop a set of key performance indicators (KPIs) to which a platform can be mapped, but more importantly, to identify the data, processes, and mechanisms needed to achieve the risk and control levels defined by the management of the enterprise that feed into compliance and risk reporting processes.




Fig 3: Compliance Performance Across Financial Processes

These compliance and risk management requirements capture the objectives regulators want to see achieved, the controls needed to ensure these rules are kept, the provenance of the data used in any reporting, the auditability of that data and the process that generated it, the formulation of the reporting obligations, and the alignment of all of these requirements with those imposed at the enterprise level by management. Seven components are identified that feed into the design of the event-driven platform, as well as a way of assessing whether the compliance function is doing its job effectively. The seven components are: regulatory objectives, risk and control, data lineage, auditability, reporting obligations, enterprise governance alignment, and compliance effectiveness.

2. Foundations of Intelligent Event-Driven Platforms



Intelligent event-driven platforms define enterprise infrastructures that facilitate business process automation through data-driven decisioning and real-time processing capabilities, often supported by intelligent and machine-learning-based technologies. Automation and automated decision-making increase speed and consistency for financial operations and reduce compliance risk levels by improving control execution and monitoring. Such platforms exploit event-driven architecture (EDA), a service-oriented architecture design pattern that promotes low-latency and high-throughput processing of real-time events.




Fig 4: Auditability Improvement Trend

A comprehensive map of business processes within major finance functions defines the key data and events needed from those processes in order to support enterprise financial transactions in a timely and appropriate manner. The mapping also provides an outline of the main participants in the processes, their responsibilities for initiation and control, and the authorities needed at different approval stages in the respective processing flows. Process management within the business functions naturally does not have full control over data quality, and events need to be adequately instrumented to ensure compliance. For major compliance requirements, data provenance and the adequacy of controls for compliance with defined requirements are essential. Therefore, an audit trail must also be generated

that supports easy root-cause analysis and resolution if a compliance failure does occur.

A. Event-Driven Architecture in Financial Infrastructures

Intelligent event-driven platforms, equipped with data-driven decision-making and real-time processing, enhance business process automation. Event-driven architecture (EDA) embraces publish-subscribe communication—where data producers and consumers operate independently—to minimize coupling. An event-driven approach differs from traditional polling architectures, addressing key metrics. Publishers broadcast events when they occur, which are then processed by any interested subscribers. Six types of component are requisite: event sources, wire network, event brokers, event consumers, event schemas, and management controls. Additional elements, such as validators and monitors, improve performance and resilience. EDA is especially suited to financial infrastructure, where events are typically time-sensitive, latency budgets small, throughput demands high, and risk tolerance low.




Fig 5: Event Throughput Scalability

These conditions extend beyond trading systems to encompass the entire finance function. Bank information



systems interact with multiple external partners and must monitor diverse environments in near real time. A typical trading day generates a single, very high-volume event stream that collapses to little or nothing at other times. Other financial systems—such as accounting, procurement, and treasury—execute lower-volume transactions requiring strict controls. However, even these systems should respond to information produced by others, rather than being merely passive repositories. An event-driven architecture for finance is a necessary enabler for a responsive, intelligent operating model.

Mathematical Formulas:

1. Event Throughput Rate

$$ETR = \frac{N_e}{T}$$

Where N_e = number of financial events processed, and T = total processing time.

2. Event Processing Latency

$$L_e = t_{response} - t_{event}$$

This measures the delay between event generation and system response.

3. Compliance Effectiveness Score

$$CES = \frac{C_p}{C_t} \times 100$$

Where C_p = passed compliance controls, and C_t = total compliance controls.

4. Risk Exposure Index

$$REI = \sum_{i=1}^n P_i \times I_i$$

Where P_i = probability of risk event, and I_i = impact value.

5. Data Lineage Completeness

$$DLC = \frac{L_v}{L_t} \times 100$$

Where L_v = verified lineage records, and L_t = total lineage records.

6. Auditability Score

$$AS = \frac{A_c + D_c + T_c}{3}$$

Where A_c = accountability coverage, D_c = data traceability coverage, and T_c = transaction trail coverage.

7. Event Synchronization Accuracy

$$ESA = \frac{E_s}{E_t} \times 100$$

Where E_s = synchronized events, and E_t = total events.

8. Schema Validation Rate

$$SVR = \frac{M_v}{M_t} \times 100$$

Where M_v = valid event messages, and M_t = total event messages.

9. Control Failure Rate

$$CFR = \frac{F_c}{C_t} \times 100$$

Where F_c = failed controls, and C_t = total controls.

10. Process Harmonization Index

$$PHI = \frac{S_p + M_d + T_e}{3}$$



Where S_p = system process alignment, M_d = data model consistency, and T_e = topic/event standardization.

3. Business Processes in Enterprise Finance

Four major enterprise finance processes can be classified according to major event-driven architectural patterns. Three core enterprise finance processes—procurement, accounting, and treasury—engage the supply chain, dealing with suppliers, producing data objects that describe goods and services, and thus driving forward the core business. These processes are orchestrated by other key events coming from bank and treasury systems that affect enterprise liquidity. Therefore, process-related events can vary in their main party ownership, approval workflow paths, information quality requirements, and control points, accounting- and treasury-related events in the same criteria, and control reports in all criteria except their meaning and purpose.

Table 1. Enterprise Financial Processes and Event Characteristics

Financial Process	Primary Events	Data Objects	Event Frequency	Criticality	Primary Stakeholders
Procurement	Purchase Order Created	Purchase Order	Medium	High	Procurement Manager
Accounting	Journal Entry Posted	Ledger Entries	High	Very High	Finance Team
Treasury	Payment	Cash Transaction	High	Critical	Treasury Manager

Financial Process	Primary Events	Data Objects	Event Frequency	Criticality	Primary Stakeholders
-------------------	----------------	--------------	-----------------	-------------	----------------------

Executed

Risk Reporting	Risk Indicator Updated	Risk Metrics	Medium	Critical	Risk Officer
----------------	------------------------	--------------	--------	----------	--------------

Compliance Monitoring	Control Validation	Compliance Records	Continuous	Critical	Compliance Officer
-----------------------	--------------------	--------------------	------------	----------	--------------------

Between these core processes, events (e.g., received invoices and shipments) are the prime data synchronization mechanism, while between enterprise finance and other systems, control data objects (e.g., risk/solvency indicators) must be exchanged for these two data-driven processes to be synchronized and controlled properly. The traceability of all finance events and the sources of their control remain the main harmonization prerequisites. Different organizations have different party ownership of some events (e.g., incurred expenditures by a department or received supplies by facilities) and different approval workflow path meanings, although the main control procedure sequence remains the same.

Table 2. Event-Driven Architecture Components

Component	Function	Input	Output	Enterprise Benefit
Event Source	Generate business events	Operational Systems	Event Messages	Real-time detection



Component	Function	Input	Output	Enterprise Benefit	Compliance Objective	Required Control	Monitoring Metric	Audit Evidence	Responsible Role
Event Broker	Routes events	Published Events	Event Streams	Loose coupling	Regulatory Compliance	Rule Validation	Compliance Score	Audit Logs	Compliance Officer
Event Consumer	Executes business logic	Event Streams	Process Updates	Automated workflows	Risk Management	Threshold Monitoring	Risk Index	Risk Reports	Risk Manager
Schema Registry	Maintains event structure	Event Schema	Versioned Schema	Data consistency	Data Lineage	Provenance Tracking	Traceability Rate	Metadata Logs	Data Steward
Event Validator	Validates message integrity	Incoming Events	Validated Events	Improved data quality	Auditability	Event Logging	Audit Coverage	Event History	Internal Auditor
Monitoring Service	Tracks event health	Runtime Metrics	Alerts	Operational visibility	Governance Alignment	Policy Enforcement	Governance Score	Compliance Reports	Governance Manager

A. Core Financial Processes and Stakeholders

The match of Idealists' vision on event-driven architectures and the business model of the financial domain sets the stage for discussing core financial processes and their associated business events. These business processes span the enterprise. Their borderless nature requires data and information sharing across the business segments, involving a variety of enterprise stakeholders—including the shareholders, board members, regulatory authorities and external auditors—ultimately leading to the development of the enterprise financial statements and other financial disclosures.

Synchronisation of information is paramount, especially from a provenance perspective. A financial disclosure must reflect the actual enterprise position at the disclosure date; thus, data objects supporting these statements need to be adjusted in real time. External statutory auditors must also assess whether the presented information is true and fair. All these considerations accentuate the role of governance and the proper definition and enforcement of events, data quality requirements, approval workflows, control points and mapping to accountability realms. An effective way to guarantee the quality, reliability, availability and auditability of the data satisfying these needs is to automate the monitoring of the events that drive their change.

Table 3. Compliance and Governance Requirements

4. Platform Architecture for Harmonization

A blueprint architecture is proposed that enables the generation of a common set of event streams across



disparate operational systems. Vital design considerations include data model harmonization across systems, unified event topic definition, schema management and evolution, event lineage tracking, and interoperability with external systems. Event stream scalability and maintainability are essential.

4.1. Event Streams, Topics, and Schemas

Enterprise financial processes are underpinned by a considerable number of data objects that derive from a diversity of sources. Consult the section on business processes for an overview of the main enterprise-financial data objects and the designated clients and producers responsible for their creation. Likewise, a discussion was held on the risks associated with the integrity and quality of these objects and the data sources. The definition of the data structure, its quality requirements, the designated producers, and the control points associated with a particular object should lead naturally to the specification of an event stream. Such definition should align with the proposed event-driven architecture for enterprise finance.

A set of common-handling requirements should be defined for data based on their respective topics and types. The following aspects should be covered:

- A topic taxonomy that classifies the streams of different areas and systems.
- The schema and the schema evolution strategy for each topics.
- The validation rules applied to the data.
- The schema-management processes, including archives, schema registries, and semantic alignment processes.
- Backward compatibility during the schema evolution process.

Table 4. Event Stream Management Framework

Event Topic	Producer	Consumer	Validation Rule	Schema Version	Priority
Invoice Events	ERP	Accounting	Mandatory Fields	v1.0	High
Payment Events	Treasury	Banking	Balance Verification	v2.0	Critical
Procurement Events	Procurement	Finance	Supplier Validation	v1.2	Medium
Risk Events	Risk Engine	Compliance	Risk Threshold Check	v3.1	Critical
Audit Events	Monitoring System	Auditors	Integrity Verification	v2.4	High

A. Event Streams, Topics, and Schemas

The taxonomy of event streams and topics within a unified event-driven architecture serves a vital role in defining enterprise event hierarchies, ensuring data quality, and creating semantic structures to enable event evolution. Cross-sectional support for the full spectrum of enterprise events is equally essential, with a carefully designed architecture capable of scaling with organizational growth and adapting to fluid operational circumstances.

Strategically conceived event topics form the heart of a unified event-driven architecture. Operating at the schema level of detail, they describe distinct types of events relevant to the enterprise and its operational sub-contexts. To ensure a comprehensive reflection of enterprise activity, dedicated enterprise core topics encapsulate events



generated by different systems but share a common business object. Topics at the operational layer allow independent system upgrades while ensuring backward compatibility. The concept of schema registries formalized the practice of mapping topics to data structures: they validate message formats sent to a topic, enabling deployment decoupling and triggering automated downstream adaptation processes. A topic's schema registry additionally provides a home for semantic alignments across versions, backward compatibility status, and additional availability clauses such as single-tenant versus multi-tenant with respect to data privacy.

Table 5. Performance Evaluation Metrics

Metric	Description	Formula	Desired Value
Event Processing Latency	Time required to process events	Processing Time	<100 ms
Event Throughput	Events processed per second	Events/sec	High
Compliance Accuracy	Correct compliance decisions	Correct Decisions / Total Decisions	>99%
Data Quality Score	Valid event records	Valid Records / Total Records	>98%
Audit Traceability	Traceable events	Traceable Events / Total Events	100%
Platform Availability	Operational uptime	Uptime / Total Time	>99.9%

5. Conclusion

Intelligent event-driven platforms enable harmonization of enterprise financial processes at the construction and operational levels. On the construction side, a unified data model and semantic reconciliation support the alignment of disparate financial systems, while schema registries furnish a shared vocabulary for data producers and consumers. These implementations create a repository of authentic enterprise financial data. At the operational level, a platform-wide control and monitoring system implements risk management processes associated with procurement, accounting, treasury, and finance disclosure, and generates compliance-related telemetry metrics and reports. The platform guarantees the lineage and auditability of compliance data throughout the enterprise and implements enterprise controls supplementing those prescribed by legal risk frameworks.

Intelligent event-driven platforms embody foundational concepts in event-driven architecture, data-driven decisioning, real-time processing, and business automation. Financial infrastructures incorporate an event-driven pattern to fulfill business requirements for low-latency and high-throughput operations supporting real-time decision processes. The analysis of event-driven operation in enterprise finance identifies core financial business processes, the events and data quality requirements relevant to each process, and supporting actors. A process-level view of event-driven architectures in enterprise finance highlights an event-driven approach in procurement and treasury activities requiring traceability and audit trails.

References

1. Adams, N., Augusto, A., Davern, M. J., & La Rosa, M. (2022). On the role of process mining in business process compliance. SSRN Electronic Journal.



2. Agostinelli, S., Chiariello, F., Maggi, F. M., Marrella, A., & Patrizi, F. (2023). Process mining meets model learning: Discovering deterministic finite state automata from event logs for business process analysis. *Information Systems*, 114, 102180.
3. Alzhrani, F., Saeedi, K., & Zhao, L. (2024). A process-aware framework to support process mining from blockchain applications. *Journal of King Saud University Computer and Information Sciences*, 36, 101956.
4. Venkateswara Rao Movva. (2024). AI-Augmented DevOps for Large-Scale Retail Platforms: A Framework for Intelligent CI/CD, Automated Testing, and Deployment Optimization. *Journal of Computational Analysis and Applications (JoCAAA)*, 33(08), 7759–7765. Retrieved from <https://eudoxuspress.com/index.php/pub/article/view/5827>
5. Augusto, A., Dumas, M., La Rosa, M., Leemans, S. J. J., & vanden Broucke, S. K. L. M. (2021). Optimization framework for DFG-based automated process discovery approaches. *Software and Systems Modeling*, 20, 1245–1270.
6. Badakhshan, P., Wurm, B., Grisold, T., Geyer-Klingeborg, J., Mendling, J., & vom Brocke, J. (2022). Creating business value with process mining. *The Journal of Strategic Information Systems*, 31(4), 101745.
7. Bayomie, D., Di Ciccio, C., & Mendling, J. (2023). Event-case correlation for process mining using probabilistic optimization. *Information Systems*, 114, 102167.
8. Praniitha Potturi. (2024). AI-Augmented Analytics Architecture for Intelligent Enterprise Reporting and Predictive Business Decision-Making. *Journal of Computational Analysis and Applications (JoCAAA)*, 33(05), 3830–3841. Retrieved from <https://eudoxuspress.com/index.php/pub/article/view/5797>
9. Camargo, M., Báron, D., Dumas, M., & González-Rojas, O. (2023). Learning business process simulation models: A hybrid process mining and deep learning approach. *Information Systems*, 117, 102248.
10. Chapela-Campa, D., & Dumas, M. (2024). From process mining to augmented process execution. *Software and Systems Modeling*, 22, 1977–1986.
11. Elkoumy, G., Pankova, A., & Dumas, M. (2023). Differentially private release of event logs for process mining. *Information Systems*, 115, 102161.
12. Loganathan, R., & Kolla, S. H. (2024). Harnessing generative AI for adaptive risk policy generation in multi-regulatory data center environments. *Turkish Journal of Computer and Mathematics Education (TURCOMAT)*, 15(3), 505-515.
13. González, L., Delgado, A., Canaparo, J., & Gambetta, F. (2022). Evaluation of compliance requirements for collaborative business process with process mining and a model of generic compliance controls. *CLEI Electronic Journal*, 25(2).
14. Imran, M., Ismail, M. A., Hamid, S., & Md Nasir, M. H. N. (2022). Complex process modeling in process mining: A systematic review. *IEEE Access*, 10, 101515–101536.
15. Jans, M., De Weerd, J., Depaire, B., Dumas, M., & Janssenswillen, G. (2021). Conformance checking in process mining. *Information Systems*, 102, 101851.
16. Sasidhar Reddy Mondeddula. (2024). Large Language Model-Based Financial Intelligence for Automated Compliance, Risk Analysis, and Regulatory Reporting. *Journal of Computational Analysis and Applications (JoCAAA)*, 33(06), 4222–4227. Retrieved from <https://eudoxuspress.com/index.php/pub/article/view/5813>
17. Khriji, S., Benbelgacem, Y., Chéour, R., et al. (2022). Design and implementation of a cloud-based event-driven architecture for real-time data processing in wireless sensor networks. *The Journal of Supercomputing*, 78, 3374–3401.
18. Lashkevich, K., Milani, F., Chapela-Campa, D., Suvorau, I., & Dumas, M. (2024). Unveiling the causes of waiting time in business processes from event logs. *Information Systems*, 126, 102434.



19. Leemans, S. J. J., Fahland, D., & van der Aalst, W. M. P. (2021). Discovering block-structured process models from incomplete event logs. *Information Systems*, 101, 101522.
20. Leno, V., Polyvyanyy, A., Dumas, M., La Rosa, M., & Maggi, F. M. (2021). Robotic process mining: Vision and challenges. *Business & Information Systems Engineering*, 63, 301–314.
21. Mattaparthi, R. (2024). Transformer-Based Fault Diagnosis for Large-Scale Standby Power Generators: Partial Discharge Pattern Recognition at Hyperscale Data Center Installations. *Journal of Computational Analysis and Applications (JoCAAA)*, 33(08), 8781–8799.
22. Mamudu, A., Bandara, W., Leemans, S. J. J., & Wynn, M. T. (2023). A process mining impacts framework. *Business Process Management Journal*, 29(3), 690–709.
23. Martin, N., Fischer, D. A., Kerpedzhiev, G. D., Goel, K., Leemans, S. J. J., Röglinger, M., van der Aalst, W. M. P., Dumas, M., La Rosa, M., & Wynn, M. T. (2021). Opportunities and challenges for process mining in organizations: Results of a Delphi study. *Business & Information Systems Engineering*, 63, 511–527.
24. Monti, F., Mathew, J. G., Leotta, F., & Koschmider, A. (2024). On the application of process management and process mining to Industry 4.0. *Software and Systems Modeling*, 23, 1407–1419.
25. Park, G., & van der Aalst, W. M. P. (2022). Action-oriented process mining: Bridging the gap between insights and actions. *Progress in Artificial Intelligence*, 11, 333–352.
26. Kolla, S. H., & Peddi, R. K. (2024). Designing Governance-Aligned GenAI Pipelines Using Small Language Models for Enterprise Workflow Intelligence. *International Journal of Science, Research and Technology*, 7(6), 13256–13268.
27. Rinderle-Ma, S., Winter, K., & Benzin, J.-V. (2023). Predictive compliance monitoring in process-aware information systems: State of the art, functionalities, research directions. *Information Systems*, 121, 102210.
28. Saini, A. K., Kamra, R., & Shrivastava, U. (2021). Conformance checking techniques of process mining: A survey. In *Recent Trends in Intensive Computing*. IOS Press.
29. Penaka, B. (2024). Generative AI-Powered Clinical Decision Support Using Large Language Models and Electronic Health Records. *Journal of Neonatal Surgery*, 13(1), 2588–2596. Retrieved from <https://jneonatsurg.com/index.php/jns/article/view/10577>
30. Singh, S. K., & Jenamani, M. (2024). ProcessChain: A blockchain-based framework for privacy preserving cross-organizational business process mining from distributed event logs. *Business Process Management Journal*, 30(1), 239–269.
31. Taymouri, F., La Rosa, M., Dumas, M., & Maggi, F. M. (2021). Business process variant analysis: Survey and classification. *Knowledge-Based Systems*, 211, 106557.
32. van der Aalst, W. M. P. (2021). Process mining: A 360 degree view. In *Proceedings of the International Conference on Process Mining*.
33. vom Brocke, J., Jans, M., Mendling, J., Reijers, H. A., et al. (2021). A five-level framework for research on process mining. *Business & Information Systems Engineering*, 63, 483–490.
34. Rajesh Reddy Ellenki. (2024). Deep Learning-Based Demand Intelligence for Dynamic Merchandise Planning and Allocation. *Journal of Computational Analysis and Applications (JoCAAA)*, 33(08), 7796–7802. Retrieved from <https://eudoxuspress.com/index.php/pub/article/view/5832>
35. Ali, M. A., Milani, F., & Dumas, M. (2024). Data-driven identification and analysis of waiting times in business processes. *Business & Information Systems Engineering*.
36. Burke, A. T., Leemans, S. J. J., Wynn, M. T., van der Aalst, W. M. P., & ter Hofstede, A. H. M. (2024). A chance for models to show their quality: Stochastic

AMERICAN DATA SCIENCE JOURNAL FOR ADVANCED COMPUTATIONS

VOLUME: 03 ISSUE: 03

RECEIVED: JULY 05

REVISED: JULY 22

ACCEPTED: AUGUST 07

PUBLISHED: AUGUST 25



- process model-log dimensions. *Information Systems*, 125, 102382.
37. Goel, K., Martin, N., & ter Hofstede, A. H. M. (2024). Demystifying data governance for process mining: Insights from a Delphi study. *Information & Management*, 61, 103973.
 38. López-Pintado, O., Dumas, M., & Berx, J. (2024). Discovery, simulation, and optimization of business processes with differentiated resources. *Information Systems*, 120, 102289.
 39. Ali, M. A., Milani, F., & Dumas, M. (2024). Data-driven identification and analysis of waiting times in business processes. *Business & Information Systems Engineering*.
 40. Caballero Villalobos, J. (2024). A hybrid approach to compliance checking: Law meets process domain. In *Proceedings of the 6th International Conference on Process Mining*.
 41. Reddy, V. A. R. (2024). Generative Intelligence for Healthcare Claims Processing and Personalized Benefits Management. *International Journal of Advanced Engineering Science and Information Technology (IJAESIT)*, 7(3), 14099.
 42. Mamudu, A., Bandara, W., Wynn, M. T., & Leemans, S. J. J. (2024). Process mining success factors and their interrelationships. *Business & Information Systems Engineering*, 67, 389–408.
 43. Singh, S. K., & Jenamani, M. (2024). ProcessChain: A blockchain-based framework for privacy preserving cross-organizational business process mining from distributed event logs. *Business Process Management Journal*, 30(1), 239–269.
 44. Lashkevich, K., Milani, F., Chapela-Campa, D., Suvorau, I., & Dumas, M. (2024). Unveiling the causes of waiting time in business processes from event logs. *Information Systems*, 126, 102434.